## **LEGEND**

## PLAN SYMBOLS

- LIGHTING, FIXTURE, SEE DETAIL.
- RECEPTACLE, SEE DETAIL.
- CONDUIT CONCEALED IN OR BELOW FLOOR OR UNDERGROUND.
- HOME RUN TO PANELBOARD. NUMBER OF ARROWS INDICATE NUMBER OF CIRCUITS. HASH MARKS INDICATE NUMBER OF #12 AWG. CONDUCTORS. NO HASH MARKS INDICATE 2 #12 CONDUCTORS.
  - SERVICE RACK EXISTING AREA LIGHTING
  - TC) 24/7 TIMECLOCK T FUSE
  - (PC) PHOTOCELL
- (CR) CONTROL RELAY (M) UTILITY METER CAN
- HAND/OFF/AUTO SWITCH (HOA) SS SURGE SUPPRESSOR
- NORMALLY OPEN CONTACT

  LA LIGHTNING ARRESTOR
  - NORMALLY CLOSED CONTACT CONCRETE PULL BOX

## **ABBREVIATIONS**

A AMPERES PC PHOTOCELL
CR CONTROL RELAY TC TIMECLOCK
FPL FLORIDA POWER & LIGHT TYP TYPICAL
GND GROUND V VOLTS
M METER W WIRE
MTD MOUNTED WP WEATHERPROOF

## P POLE NOTES

- 1. ELECTRICAL CONTRACTOR SHALL SUPPLY AND INSTALL ALL NEW ELECTRICAL WORK INDICATED.
- 2. ELECTRICAL CONTRACTOR SHALL VISIT JOB SITE AND FAMILIARIZE HIMSELF WITH ALL CONDITIONS AFFECTING ELECTRICAL INSTALLATION AND MAKE PROVISIONS AS TO THE COST THEREOF. EXISTING CONDITIONS OF ELECTRICAL EQUIPMENT, LIGHT FIXTURES, ETC... THAT ARE PART OF THE FINAL SYSTEM SHALL BE VERIFIED BY THE CONTRACTOR PRIOR TO SUBMITTING HIS BID.
- ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE AND SHALL COMPLY WITH ALL LOCAL RULES AND ORDINANCES.
- 4. MINIMUM WIRE SIZE SHALL BE #12 A.W.G., UNLESS OTHERWISE NOTED. ALL CONDUCTORS SHALL BE COPPER WITH THWN INSULATION.
- 5. IT IS NOT THE INTENT OF THESE PLANS TO SHOW EVERY MINOR DETAIL OF CONSTRUCTION. THE CONTRACTOR IS EXPECTED TO FURNISH AND INSTALL ALL ITEMS FOR A COMPLETE ELECTRICAL SYSTEM AND PROVIDE ALL REQUIREMENTS NECESSARY FOR THE EQUIPMENT TO BE PLACED IN PROPER WORKING ORDER.
- 6. ELECTRICAL SYSTEM SHALL BE COMPLETE AND EFFECTIVELY GROUNDED AS REQUIRED BY THE LATEST EDITION OF THE N.E.C. OR LOCAL CODES.
- 7. ALL MATERIALS SHALL BE NEW AND BEAR UNDERWRITERS' LABELS.
- 8. ALL WORK SHALL BE PERFORMED BY A LICENSED ELECTRICAL CONTRACTOR IN A FIRST CLASS WORKMANLIKE MANNER. THE COMPLETED SYSTEM SHALL BE FULLY OPERATIVE AND ACCEPTED BY ENGINEER.
- 9. CONTRACTOR SHALL GUARANTEE ALL MATERIALS AND WORKMANSHIP FREE FROM DEFECTS FOR A PERIOD OF NOT LESS THAN ONE YEAR FROM DATE OF ACCEPTANCE.
- 10. CORRECTION OF ANY DEFECTS SHALL BE COMPLETED WITHOUT ADDITIONAL CHARGE AND SHALL INCLUDE REPLACEMENT OR REPAIR OF ANY OTHER PHASE OF THE INSTALLATION WHICH MAY HAVE BEEN DAMAGED THEREBY.
- 11. ALL REQUIRED INSURANCE SHALL BE PROVIDED FOR PROTECTION AGAINST PUBLIC LIABILITY OF PROPERTY DAMAGED FOR THE DURATION OF THE WORK.
- 12. CONTRACTORS SHALL PAY FOR ALL PERMITS, FEES, INSPECTIONS AND TESTING.
  CONTRACTOR TO OBTAIN PERMIT AND APPROVED SUBMITTALS PRIOR TO BEGINNING
  WORK OF ORDERING EQUIPMENT.
- 13. THE ELECTRICAL INSTALLATION SHALL MEET ALL STANDARD REQUIREMENTS OF FP&L.
- 14. CONTRACTOR SHALL SUBMIT SHOP DRAWINGS OR CUTSHEETS OF LIGHTING FIXTURES AND OTHER ELECTRICAL ITEMS FOR APPROVAL BY ENGINEER.
- 15. CONTRACTOR SHALL BE RESPONSIBLE FOR ALL CUTTING AND PATCHING REQUIRED OF HIS WORK.

16. ALL ELECTRICAL WIRING SHALL BE THE RESPONSIBILITY OF THE ELECTRICAL

- CONTRACTOR.


  17. SLANTED TEXT DENOTES EXISTING EQUIPMENT OR STRUCTURES. NON-SLANTED TEXT DENOTES NEW EQUIPMENT, STRUCTURES, AND WORK.
- 18. CONDUCTORS SHALL NOT BE SPLICED EXCEPT AS NOTED IN THE SPECIFICATIONS.
- 19. ALL CONDUITS SHALL HAVE A BOND WIRE SIZED PER THE N.E.C. (UNLESS OTHERWISE NOTED).



2101 N. ANDREWS AVE., SUITE 100 FORT LAUDERDALE, FLORIDA 33311 PHONE: (954) 564-4012 FAX: (954) 564-3040 License No. 65-0868970 LILLIAN M. REYES, P.E. Florida P.E. No. 50780

DESIGNED DATE

| DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE | DESIGNED DATE



Calvin, Giordano & Associates, Inc.

Engineers Surveyors Planners
1800 Eller Drive Suite 600
Fort Lauderdale, Florida 33316
954.921.7781 954.921.8807 fax

SUNNY ISLES
OCEANFRONT PARK
Lighting Improvements

ELECTRICAL NOTES AND LEGEND APPROVED Lillian M. Reyes, P.E 0050780

DATE 04/28/04

SCALE
AS NOTED:
PROJECT No

CAD FILE E-01 SITE\_30 OF